









## WE UNDERSTAND WHAT IT TAKES TO BUILD A BUSINESS.

We know new equipment is a big investment. We know, if you're going to take that next step, you need a sure thing. A truck that will not let you down. A truck that will take your business to new heights.

That's why we built the CV Series.

For people like you. Because you've only just begun.





For those who are ready to take the next step with their business, reach for the next rung, expand their capabilities and open up new possibilities, introducing the International® CV™ Series. It's the only class 4/5 truck designed, distributed and supported by a manufacturer that specializes in commercial trucks.

This means the largest commercial dealer network with more dedicated truck bays and diesel technicians than anyone else. It's designed for upfitting with a straight frame and a wide range of wheelbase options plus a DriverFirst-inspired interior with exceptional visibility, excellent maneuverability plus ride-and-handling that's second to none. The CV Series—ready when you are.







A SMARTER APPROACH TO SERIOUS WORK



**DELIVERING DAY-IN, DAY-OUT** 



ELEVATE YOUR BUSINESS



UNSTOPPABLE ENDURANCE

## BORN AND BRED AT THE WORK SITE

International Truck is known for building some of the most rugged, powerful and hard-working trucks on the planet and the CV™ Series continues this tradition. Just like its bigger brothers, the CV Series features TEM-ready straight frame rails, engine and service points that are easy-to-access for both technicians and crew, plus a DriverFirst™ interior that's comfortable and productive. And like every International® Truck, the CV Series also brings vast capabilities, rock-solid uptime and unlimited possibilities.





## INTERNATIONAL

## DEALERSHIPS THAT UNDERSTAND THE TRUCK BUSINESS

It's one thing to build a commercial-grade truck, it's another to actually support it with commercial expertise. International Truck dealerships are well-versed in the commercial vehicle language and every team member, from the sales floor to the service bay, understands the needs of commercial vehicle customers. Whether

it's working closely with an upfitter or repairing a diesel engine, International dealerships know how to get it done—and done right. Plus, with the industry's largest commercial dealer network and 7,600 service bays, no matter where you are, if you need service, help is likely to be nearby.



#### THE POWER OF INTERNATIONAL

- Industry's largest commercial dealer network with more dedicated commercial truck bays than Ford, Chevrolet or Ram
- ▶ 98% of parts available between Parts Distribution Centers (PDCs) and dealer inventory
- ► Commercial ASE-certified diesel-trained technicians:
- Over 7,600 in the US
- Over 1,900 in Canada

- Dealership sales staff that specialize in commercial sales and can help you configure a truck that's tailored to your business needs
- Application Engineering Team
- Vocational engineering experts ready to help you design a custom configuration for your application

#### WE HAVE YOUR BACK SO YOU CAN KEEP MOVING FORWARD

Your International® dealer is one of the best in the business and part of the industry's broadest, most capable parts and service network.



#### ■ DIAMOND EDGE<sup>SM</sup> CERTIFIED INTERNATIONAL® TRUCK DEALERS

This select network of International dealer service departments has passed rigorous parts and service certification guidelines to provide you with faster turnarounds, immediate parts availability and a higher level of servicing expertise. Their ongoing pledge is to maximize your uptime and deliver a best-in-class customer experience.

YES, WE'RE

OPEN

Saturday

393

Locations

Sunday

36

Locations





### COMMERCIAL-GRADE DESIGN, PRODUCTION AND POSSIBILITIES

It's important to note that the CV Series is not consumer-grade. It's not designed for average joes. It's not built in a factory that makes pickup trucks. This is a commercial-grade vehicle built for commercial-grade needs. International engineers started with a clean sheet of paper with one mission: create the toughest, most-capable, most upfit-friendly class 4/5 truck at the work site. This means a heavy-duty, gear-driven transfer case, a single, high-strength frame rail, an available air ride suspension, easy-to-reach maintenance points and a long list of heavy-duty details only found on a truck designed by commercial truck engineers.

## COMMERCIAL GRADE FROM THE WHEELS TO THE CLEARANCE LIGHTS

- Segment-only gear-driven transfer case.
   Provides extra strength (no chains to stretch)
- Painted chassis for enhanced longevity and corrosion resistance
- ➤ Single high strength low alloy steel (50,000 PSI yield strength) frame rail is ready for easy upfitting
- GVWR up to 23.500 lbs
- Optional air ride suspension with enginemounted compressor can be used to adjust height and provide a smooth ride for cargo protection and crew comfort.
- ► Commercial-grade brakes brakes built for larger Class 6/7
- ▶ 4-inch bumper extension is available for robust front-end, grille and radiator protection













- 1. The Forward-Tilting Hood provides easy access to the engine and routines service points
- 2. Tool-less headlight bulb replacement
- 3. Standard, self-cleaning, high-grip steps are ideally placed so drivers and passengers can enter and exit the cab the ease.
- 4. The DEF (Diesel Exhaust Fluid) tank refill placement is mounted by the passenger side door to help avoid mixing the wrong fluids and allows the tank to be filled without opening the hood.





## A COMMITMENT TO SAFETY

50-degree wheel cut offers excellent maneuverability which can help you avoid costly incidents at crowded worksites







An available rearview camera helps drivers see potential obstacles when backing up

#### COMMERCIAL GRADE BRAKING POWER

- ► Hydromax Braking system brakes built for larger Class 6/7
- ▶ Bosch Split system with Traction Control
- Four channel ABS

The Trailer Brake Controller helps drivers maintain control while towing



Integrated hood safety latch helps prevent the hood from blowing down on windy days



The folding side mirrors can include LED turn indicators plus rear-facing LED lights to illuminate cargo and equipment



#### A WHEREVER, WHENEVER KIND OF ATTITUDE.

The CV Series was tested in the same extreme environments as all of our commercial trucks.

**COLD WEATHER TESTING (-40\*)** FAIRBANKS, ALASKA

**DURABILITY TESTING** NAVISTAR PROVING GROUNDS **NEW CARLISLE, INDIANA** 

HIGH ALTITUDE TESTING (12,000 FT) LOVELAND PASS, COLORADO

**EXTREME TEMPERATURE TESTING (115\*)** APACHE, ARIZONA



NAVISTAR ENGINEERING VALIDATION CENTER MELROSE PARK, IL

SHAKER TESTING




The CV Series was durability tested in New Carlisle, Indiana and built in Springfield, Ohio on the same line as some of the most powerful trucks on the road including: the International® MV™ Series and HV™ Series

SPRINGFIELD, OHIO

The durability testing of the CV Series was also commercial grade—way beyond what is done for pickup trucks. From the heights of the Rocky Mountains, to the heat of the Arizona desert and the bitter cold of Alaska. the CV Series powered through it all thanks to commercial-only features like a forwardtilting hood for better access to routine service points, a 50-degree wheel cut for best-in-class work-site maneuverability and an impressive Hydromax braking system for superior stopping ability.





The CV™ Series is powered by one of the most rugged, trusted and thoroughly-tested engine/transmission combinations in the industry. During the CV Series validation process, this powertrain proved itself over and over -from the brutal cold of Alaska to the punishing heat of Arizona and the extreme altitude of the Colorado Rockies. Over one million examples of this legendary duo are currently on the road making deliveries, hauling gear and getting the job done.

#### INTERNATIONAL® 6.6 ENGINE

With 700 ft-lb of torque on tap, the CV Series has the muscle to pull, haul and carry the heaviest of loads.

- ▶ 350 HP, 700 ft-lb of torque
- ▶ Optional engine-mounted air compressor
- Diesel exhaust brake
- Remote Start with Keyfob includes antitheft deterrent system
- ▶ Optional 120v/800-watt block heater

#### 2 6-SPEED ALLISON TRANSMISSION

As the largest manufacturer of medium and heavyduty fully automatic transmissions, Allison has a long and proven history in commercial trucks. It's a transmission you can trust to help you take care of business.

- ▶ Legendary reliability and strength
- Available PTO (Power Take Off) capability to run auxiliary equipment
- ▶ 1000/2000 series
- Available vocation codes include: Highway Series (HS), Rugged Duty Series (RDS), Emergency Vehicle Series (EVS), Motorhome Series (MH)

#### 3 CONFIDENT 4X4 CAPABILITY

For demanding applications that require access to challenging job sites

- Meritor gear-driven transfer case more durable than chain-driven
- Heavy duty front axle







When you build commercial vehicles for as long as we have, you learn a thing or two about what businesses need. That's why the CV Series has straight frame rails and is available with a clean Cab-to-Axle (CA) package.





THE CV™ SERIES IS READY TO ACCEPT NEARLY ANY BODY—FROM A CONTRACTOR'S DUMP TO A FLATBED—WITHOUT ANY SPECIAL MODIFICATIONS OR REINFORCEMENTS.





















# FIT TO BE UPFITTED

When customers choose International, they know the upfit process will be simple and straight-forward. The CV<sup>™</sup> Series is no exception. Customers can spec the CV<sup>™</sup> Series exactly to their liking whether it's different fuel tank options, wheelbase options—even different exhaust locations—whatever the customer needs, the CV Series can accommodate

#### READY TO ROLL


Standard holes for a snow plow mount bracket are pre-drilled into the front frame of the CV Series.

#### SIMPLICITY EQUALS FLEXIBILITY

- Dual battery box is located under the cab.

  An optional third battery is available for body mounting
- Huck® Bolt chassis fasteners provide consistently superior clamping force without re-torqueing, and won't come loose even in extreme environments
- Straight frame rails with no rivets on top flange with a clean CA for easy body mounting
- 4 Optional exhaust outlets available to suit vocation and body
- 5 Fuel tank options:
  - Available 40-gallon After Frame fuel tank (behind rear axle)
  - 25-gallon saddle tank
  - Available dual tanks (25 and 40 gallons respectively)
- Multiple wheelbase options to suit almost any application (7 for day cab and 3 for crew)

## WE'LL WORK WITH YOU SO YOU CAN GET TO WORK



#### **International Truck Specialty Centers**

Depending on the application, some post-production modifications are more complicated than others. In cases like these, there's no better place to go than an International Truck Specialty Center. Fully owned and operated by International Truck, our experts provide quick, efficient and cost-effective custom engineering solutions. The CV Series is the only truck that can take advantage of this level of customization within the segment and depending on what you need, it may prove invaluable.

- ▶ Modifications covered under manufacturer's warranty
- Process supervised by International engineers to ensure factory production-level quality
- Expertise to identify and resolve issues quickly





## SMOOTH OPERATOR








The CV™ Series offers segment-exclusive air ride rear suspension to provide both a smooth ride and height flexibility. In many cases, delicate cargo — from produce to appliances — cannot be jostled during transportation or they risk being damaged. Carriers of these products have long relied on air suspension to ensure an unscathed delivery.

















## ROOM FOR GROWTH



Driver comfort is critical to get the job done smoothly and efficiently. Seats should be supportive and comfortable for long stretches of time and all controls must be placed in a way that is logical and intuitive.

We call this our DriverFirst™ philosophy.

The CV™ Series coddles drivers and passengers with automotive-like comfort, featuring premium interior finishes and outstanding ergonomics. Multiple infotainment options are available including an 8" color touch screen with navigation and, for the first time in an International truck, Apple CarPlay and Android Auto are available.













#### A FIELD OFFICE WITH PERKS

- 1. The CV Series offers comfortable, three-across seating.
- 2. The center seat back can be lowered and used as an arm rest and beverage holder.
- 3. The seat bottom cushion provides additional storage
- 4. The Trailer Brake Controller helps drivers maintain control while towing.
- 5. All controls are within easy reach and can operated while wearing gloves.
- 6. The key fob includes Remote Start to help preheat the engine and cabin on cold days.
- 7. The CV Series is the first International Truck to offer Apple CarPlay and Android Auto.
- Drivers can expect automotive-like levels of comfort including an available leather-wrapped steering wheel with fingertip controls.





### CONFIGURED TO MAKE THINGS EASIER, SAFER AND COMFORTABLE

- Auto-dimming rear view mirror is available
- Wide Load Side Mirrors with manual folding/ extending are standard. Powered/heated side mirrors with integrated turn signal are available
- ► Floor-mounted Center Console available with movable cup holders, cell phone storage, 12-volt charger, 2 USB ports and hanging file folder capability (Crew cab only)



The CV™ Series is ready to go with built-in switch packs to control various application functions. One to four auxiliary switches are available for your specific needs depending on the trim level. Whether you need to control a dump or a flatbed, a switch is ready when you are.







| Cab Features  | Classic  | Diamond   |
|---|--|---|
| Interior Trim   | Soft Touch Vinyl or Cloth  | Cloth   |
| Interior Color  | Dark Ash or Jet Black  |   |
| Available Driver Seats  | High-back Split Bench with Headrest, Recline, Fixed Lumbar, Vinyl  | 10-Way Power High-back Split Bench with Headrest and Manual Lumbar  |
|   | High-back Split Bench with Headrest, Recline, Manual Lumbar, Cloth   | 10-Way Power Bucket (Crew Cab Only), Non Suspension High Back with<br>Headrest and Power Lumbar   |
|   | 10-Way Power High-back Split Bench with Headrest and Manual Lumbar   |   |
| Available Passenger Seats   | Two-man, High Back with Headrest in Outboard Position, Center Fold-Down Armrest with Storage, Recline, Vinyl or Cloth, includes 2 USB ports and a 110 Volt outlet  Two-man, High Back with Headrest in Outboard Positions and Recline, Center Fold-Down Armrest with Storage and Underseat Storage, Cloth includes 2 | Two-man, High Back with Headrest in Outboard Positions and Recline, Center Fold-Down Armrest with Storage and Underseat Storage, Cloth, includes 2 USB ports and a 110 Volt outlet  Non-Suspension, High Back with Adjustable Headrest, 6-way Power |
|   | USB ports and a 110 Volt outlet  | Adjustable, Power Lumbar, Cloth (Crew Cab Only)   |
|   | High Back with Headrest and Recline, Without Center Section, Vinyl or Cloth  |   |
| Rear Bench Seat (Crew Cab Only)                                   | Rear Bench Vinyl or Cloth  | Rear Bench Cloth  |
|   | Omit Rear Bench Seat   | Omit Rear Bench Seat  |
| Gauge Cluster   | 3.5" Monochromatic Display with Personalization, Speedometer, Odometer, Warning Messages and Vehicle Information   | 4.2" Color Display with Personalization, Speedometer, Odometer, Warning Messages and Vehicle Information  |
| Air Bag   | Standard for Driver and Passenger Sides  |   |
| Seat Belt Color   | Black  |   |
|   | Available Orange   |   |
|   |  | ble Red   |
| Steering Wheel  | 4-spoke, 15" Black  4-spoke, 15" Leather Wrapped   |   |
| Steering Column   | Tilt Steering Column   |   |
| Center Console  | Only available with crew cab, Diamond and bucket seats, or power driver and passenger seats  |   |
| End of Frame Auxiliary Work Light<br>Provisions and Toggle Switch | Lighted on Instrument Panel and Wiring Effects for Customer Furnished End of Frame Light   |   |
| Roof Mounted Auxiliary Work Light<br>Provisions and Toggle Switch | Lighted in Overhead Console and Wiring Effects for Customer Furnished Roof Mounted Light   |   |
| Auxiliary Switches  | 1 to 4 Latching Switches with 30-Amp Fuses   |   |
| Horn  | Single, Disc Style   |   |
| 110111  | Dual, Disc Style   |   |
| HVAC  | Single Zone Heater and Air Conditioning  |   |
| Defroster, Electric Rear Window                                   | Ava  | ilable  |
| Power Windows   | Optional with regular cab, classic trim, Required with crew cab and base trim  | Standard  |
| AM/FM Stereo and Infotainment                                     | <ul> <li>4.2" color Touch Panel</li> <li>4 Speaker System</li> <li>USB, AUX, SD*</li> <li>7" Color Touch Panel</li> <li>6 Speaker System</li> <li>Bluetooth, Seek/Scan, Satellite</li> </ul>   | 8" Color Touch Panel  • 6 Speaker System  • USB, AUX, SD, Bluetooth, Seek/Scan, Satellite, Voice Activation, Navigation   |
| Compact Disc Player   | Available  | Required, includes MP3  |
| Interior Sunvisor   | Vinyl  | Vinyl with Illuminated Mirror for Driver and Passenger Sides  |
| Rearview Mirror   | Tilt Mirror  | Light Sensitive Tilt Mirror   |
| Rearview Camera   | Available  | Available   |
| Power Invertor 12V DC to 110V AC                                  | Available  | Required  |
| Remote Start  | Not Available  | Available Remote Start Keyfob includes Theft Deterrent System   |
|   |  |   |



27





### **CAB CONFIGURATIONS**



## SPECIFICATIONS

#### GVWR

- ▶4x2: 16.000 22.900 lbs.
- ► 4x4: 17.500 22.500 lbs.

#### Models/BBC/BA

►CV515: 115" BBC, 34" BA

#### Cab Configurations

- ▶ Regular Cab
- Crew Cab

#### Frame

► High Strength, Low Alloy Steel 50,000 PSI

#### Front End

▶ Tilting Fiberglass Hood with 3-Piece Construction

#### **Fender Extensions**

- ▶ Molded in black
- ▶ Painted

#### irille

- ► Molded Dark gray
- ▶ Chrome with Chrome Headlight Bezels

#### Grille Bug Screen

► Available Bug Screen Mounted Behind Grille

#### **Grille Ember Screen**

► Available Mounted behind Grille to Keep Hot Embers out of Engine and HVAC Air Intake System

#### **Radiator Stone Guard**

Available, mounted to front bumper

#### Bumper

- ► Full Width, Aerodynamic, Steel, Painted Gray
- Full Width, Aerodynamic, Steel, Chrome Plated
- Full Width, Aerodynamic, Steel, Painted Black

#### **Tow Hooks**

► Available (2) Frame Mounted Tow Hooks

#### **Bumper Extension**

► Available 4" Front Bumper Extension

#### Cab Access Steps

- ► One Painted Step per Door standard
- ► Available Bright Aluminum Steps

#### Cab Mirrors

- ▶ (2) Wide Load, Manual Folding and Extending, Black Head, Mounting Bracket and Arm
- ▶(2) Wide Load, Manual Folding and Extending, Black Head, Mounting Bracket and Arms, Heated Head, Turn Signal Indicator Located in Mirror, Power Operated
- ▶ (2) Wide Load, Manual Folding and Extending, Bright Head, Black Mounting Bracket and Arms, Heated Head, Turn Signal Indicator Located in Mirror, Power Operated

#### Cab Glass

- ► All Windows Solar Absorbing Tint
- ▶ Deep Tinted, Rear Glass Only on Standard Cab, Rear Doors and Rear Glass on Crew Cab

#### Wheelbase Options

- ▶ Regular Cab
- 141" (60" CA)
- 219" (138" CA)231" (150" CA)
- 201" (120" CA)
- ► Crew Cab
- 175" (60" CA)
  - " (60" CA) 235" (120" CA)
- 199" (84" CA)

#### **Axle Configurations**

▶4x2, 4x4

#### Front Axle

#### ▶4x2

- Dana Spicer 6,000 lbs.
- Dana Spicer 7,000 lbs.
- Dana Spicer 8.000 lbs.
- ▶4x4
- Dana Spicer 7,500 lbs.

#### Front Suspension

#### ▶4X

• Taper Leaf Shackle Type 6,000 lbs. with Shock Absorbers

CV™ SERIES CREW CAB

- Taper Leaf Shackle Type 7.000 lbs. with Shock Absorbers
- Parabolic Taper Leaf 8,000 lbs. with Shock Absorbers

#### ▶4x4

• Parabolic Taper Leaf 7,500 lbs. with Shock Absorbers

#### Front Stabilizer Bar

► Available Front Stabilizer Bar

#### **Front Brakes**

► Hydraulic Disc, Quadraulic Four 64mm Diameter Pistons

#### Rear Axle

- ▶ Dana Spicer S14-110 Single Reduction, 10,000 lbs.
- ▶ Dana Spicer S14-110 Single Reduction, 11,000 lbs.
- ▶ Dana Spicer S14-110 Single Reduction, 13,500 lbs.
- ▶ Dana Spicer S16-130 Single Reduction, 15,000 lbs.
- ▶ Dana Spicer S16-130 Single Reduction, 15,500 lbs.
- Paria spicer sio 130 sirigie reduction, 13,300 ib

#### **Rear Suspension**

- ▶ Spring, Vari-Rate: 11,000 15,500 lbs.
- Air, International Ride Optimized Suspension (IROS): 12,000 15,500 lbs (4x2 only).

#### **Air Suspension Control Valve**

Available Pressure release Control in Cab

#### Rear Axle Ratio

- ▶4x2: 4.10, 4.30, 4.56, 4.88
- ▶4x4: 4.30

#### Rear Brakes

► Hydraulic Disc, Quadraulic Four 64mm Diameter Pistons



29





### **SPECIFICATIONS CONTINUED**

#### **Differential Lock**

► Available Dana Spicer Truetrac Torque Proportioning Limited Slip Differential

#### **Electrical**

- ▶ Batteries
- (2) Batteries: 1100 1300 CCA
- (3) Batteries: 2250 CCA
- ► Alternator
- Denso SC2 Brush Type 150 Amps
- Denso SC6 Brush Type 220 Amps
- Denso SC6 Dual Brush Type 150 and 220 Amps
- ▶ Jump Start Stud
- Available Remote Mounted
- ▶ Headlights
- Halogen Composite Aero with Chrome Trim Bezel
- Halogen Composite Aero with Black Trim Bezel
- Available (2) Clear Lens, Halogen, Rectangular
- ► Body Builder Wiring
- Rear of Frame; Includes One Sealed Connector for Separate Ground/Backup/ Left and Right Hand Turn, Left and Right Hand Tail/Stop/ Accessory Power and Combined for Left and Right Hand Stop/Turn
- Back of Cab at Left Frame; Includes One Sealed Connector for Separate Ground/Backup/Left and Right Hand Turn, Left and Right Hand Tail/Stop/Accessory Power and Combined for Left and Right Hand Stop/Turn

#### **Battery Box**

▶ Steel with Plastic Cover. 2 Batteries Parallel to Rail. 28" Wide, Mounted Left Side Under Cab

#### **Brake System**

► Hydromax with Traction Control and Four Channel ABS

#### **Trailer Brake Control**

► Available Integrated Trailer Brake Control

#### **Trailer Connection Socket**

Available Mounted at Rear of Frame, Wired for Turn Signals Combined with Stop, Compatible with Trailers That Use Combined Stop, Tail, Turn Lamps

#### Steering

▶Bosch: S2 8014 Plus

#### Fuel Tanks

- ► Single, Rectangular 25 Gallon, Mounted Between Rails Forward of Rear Axle
- ► Single, Rectangular 40 Gallon, Mounted between Rails Behind Rear Axle
- ▶ Dual, Rectangular 25 Gallon and 40 Gallon

#### **Diesel Exhaust Fluid Tank**

▶ 6.75 Gallon, Frame Mounted Outside Right Rail, Under

#### Engine

- ► International 6.6 V8 Turbocharged Diesel Engine
- 350 hp @ 2700 RPM
- 700 lb. ft. torque @1600 RPM
- 2900 RPM Governed Speed

#### **Engine Exhaust Brake**

► Available Engine Exhaust Brake

#### **Exhaust System**

- ► Horizontal, Frame Mounted, Right Side Under Cab
- WB greater than 141": Straight tailpipe, exits right or available left side ahead of rear axle
- WB less than 141": Over rear axle, exits behind rear axle

#### **Hand Throttle**

► Available Engine Speed Control for PTO

#### **Fan Drive**

► Viscous Screw On Type, Rear Tether, Electronically Controlled

#### **Engine Block Heater**

► Available 120 Volt 800 Watt

#### **Keyless Entry System Remote**

► Available with Panic Alarm and Horn Beep Lock Confirmation, Includes Two Key Fob Transmitters

#### **Transmission**

- ▶ Allison 6-speed: 1700, 1750, 2700 Series
- Available Vocational Codes: HS. RDS. EVS. MH
- With or Without PTO Provision
- Includes Park Pawl
- With Double Overdrive

#### PTO

► Available Transmission-mounted, Right Side (requires PTO-equipped transmission)

#### **Transfer Case (4x4)**

Meritor: 3203, 2-speed, Gear Drive with Electric Shifting Controls, with optional skid plate

#### **Transfer Case Skid Plate**

Frame-mounted Protective Plate (available with off-road package)

#### Wheels

- ▶ Powder Coat Steel, Accuride 50180 Disc, 19.5x6.75 Rims, 4-Hand Hole, 8-Stud, 275mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
- ▶ Polished Aluminum, Accuride 29695 DISC, 19.5x6.75 Rims, 8-Stud, 275mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs

#### Tires

▶ Goodyear

▶ Continental

#### **WARRANTY**

- ▶ Base Chassis Warranty: 3/36k
- ▶ Base Engine Warranty: 5/100k









Note: The information and conclusions contained herein are believed to be correct at time of publication, but do not necessarily apply to similar vehicles with different specifications or with production dates after the production of this publication. Vehicles with different specifications or later dates of production may yield different results. Vehicle specifications are subject to change without notice. TAD18038 08/2018 ©2018 NAVISTAR Inc. All rights reserved. All marks are trademarks of their respective owners.